



2018 Super Duty® | ford.com

F-350 XL Crew Cab DRW 4x2. Oxford White. STX Appearance Package and available equipment. ¹Class is Full-Size Pickups over 8,500 lbs. GVWR, based on Ford segmentation. ²When properly configured. See towing chart on page 30 for maximum ratings by configuration. ³5-star safety ratings apply to 2017 F-250 SuperCab and Crew Cab 4x2 models only. Government 5-Star Safety Ratings are part of the National Highway Traffic Safety Administration's (NHTSA's) New Car Assessment Program (www.SaferCar.gov).















FIRST-IN-CLASS

HIGH-STRENGTH, MILITARY-GRADE, ALUMINUM ALLOYS

/ INFLATABLE REAR-SEAT OUTBOARD SAFETY BELTS¹

BEST-IN-CLASS

34.000 LBS, MAX, TOWING CAPACITY²

/ 21.000 LBS, MAX, CONVENTIONAL TOWING CAPACITY²

/ 7,630 LBS. MAX. PAYLOAD CAPACITY² / 42,800 LBS.

MAX. GROSS COMBINED WEIGHT RATING (GCWR)2

/ 935 LB.-FT. OF DIESEL TORQUE / 450 DIESEL HP

/ 430 LB.-FT. OF GAS TORQUE

CLASS EXCLUSIVE

UP TO 7 AVAILABLE CAMERAS¹ / ADAPTIVE STEERING¹ / ADAPTIVE CRUISE CONTROL AND COLLISION WARNING WITH BRAKE SUPPORT¹ / FACTORY-INSTALLED CUSTOMER-PLACED TRAILER CAMERA¹ / LED SIDEVIEW MIRROR SPOTLIGHTS¹ / MULTICONTOUR FRONT SEATS WITH ACTIVE MOTION®¹ / POWER-DEPLOYABLE RUNNING BOARDS¹ / BLIS® WITH TRAILER COVERAGE AND CROSS-TRAFFIC ALERT¹ / POWERSCOPE® POWER-TELESCOPING/-FOLDING TRAILER TOW MIRRORS¹ / REMOTE TAILGATE LOCK AND RELEASE¹ / SMART TRAILER TOW CONNECTOR¹ / STANDARD FLAT LOAD FLOOR INSIDE³ / COLLAPSIBLE UNDER-SEAT STORAGE¹.⁴ THAT FOLDS INTO FLAT LOAD FLOOR / TAILGATE STEP¹ / TRAILER REVERSE GUIDANCE¹ / INDIVIDUAL TRAILER TIRE PRESSURE MONITORING SYSTEM¹















CLASS OF ITS CLASS. 6.2L GAS. The Built Ford Tough® 6.2L 2-valve V8 delivers the most torque of any gas engine in the class. Designed, engineered, built and torture-tested by Ford, the standard engine on F-250 and F-350 Super Duty is also E85-capable. By supplying working power throughout the rpm range, the 6.2L V8 delivers an exceptional combination of driveability, hauling and towing performance.

Alternative fuel options include a CNG/Propane Gaseous Engine Prep Package that readies Super Duty to be upfit for compressed natural gas (CNG) or propane autogas. Super Duty models equipped with the 6.2L engine can be converted to a bi-fuel vehicle with the ability to switch between CNG or propane and gasoline. Providing flexibility and extended range, trucks upfit to a bi-fuel system include a tank for each type of fuel. By purchasing a Super Duty upfit for CNG or propane, you may even qualify for state incentives related to alternative fuel use, infrastructure or vehicles. Visit www.afdc.energy.gov/afdc/laws for details.





LOADS OF LOW-RPM TORQUE help ease your heavy-duty workload. A stiff SOHC valvetrain with roller-rocker shafts enables an intake- and exhaust-port layout that optimizes airflow, helping the 6.2L V8 produce gobs of torque down low.

IRON-CLAD DURABILITY of the gas engine block stems from reliable cast-iron construction, with 4-bolt main bearing caps, including 2 additional cross bolts. Piston-cooling jets contribute to durability as well by maintaining cooler piston temperatures and improving oil warm-up, especially under heavy-duty operating conditions.

COMBUSTION CYCLE OPTIMIZATION is

achieved through the gas engine's dual-equal variable cam timing. It phases the intake- and exhaust-valve opening and closing events simultaneously to optimize low-end torque and peak horsepower. Using 2 spark plugs per cylinder also helps the fuel air mixture burn efficiently, contributing to engine torque.



WE PUT TORQUE RIGHT IN THE NAME. FOR GOOD REASON. The TorqShift® 6-speed SelectShift® automatic

transmission handles a lot of it, whether mated to the torque-rich diesel engine¹ or powerful gas engine. Tow/haul mode helps either engine deliver smooth, efficient performance. A multi-segment

clutch friction-plate design optimizes oil flow, reduces power loss and maximizes transmission productivity, while a high-efficiency fluid filter has a fluid change interval of 150,000 miles.

For weight savings and efficiency, we even right-sized a TorqShift-G 6-speed SelectShift automatic transmission with tow/haul mode for Super Duty F-250 models with the gas engine. And since Super Duty engines and transmissions are all designed and built by Ford, each powertrain works seamlessly with chassis components and vehicle calibrations.



THE TORQSHIFT TRANSMISSION WITH SELECTSHIFT capability delivers smooth, efficient performance on the road. SelectShift allows for manual upshift and downshift capability.

Progressive range select mode lets you reduce the available gear range in difficult road/load conditions.

To eliminate unwanted frequent gear-shifting on steep uphill grades, select tow/haul mode, which also allows engine braking to help maintain vehicle speed when descending that grade.



- 1. 3-PLATE, 2-STAGE TORQUE CONVERTER handles substantial horsepower and torque forces from the 6.7L Power Stroke® V8 Turbo Diesel, and helps both engines work efficiently at low rpm thanks, in part, to low-speed lockup capability (down to 900 rpm).²
- 2. LIVE-DRIVE POWER TAKEOFF PROVISION¹ is directly linked to the crankshaft, so the PTO output gear delivers power anytime – whether the vehicle is moving or not. With both engines, the TorqShift transmission provides stationary and mobile-mode PTO capability.
- 3. SINTER-BRAZED PINION CARRIERS help manage the diesel's extreme low-end torque, as well as the high shift speeds of the gas engine. When teamed with a gasoline engine, the transmission features up to 4-pinion front carriers and 6-pinion rear. Diesel models feature up to 6-pinion carriers in front and up to 8-pinion carriers in the rear.











To help you better handle what's in tow, Super Duty provides you with an inspiring level of towing confidence with even the largest loads. Smart technology helps make towing easier than ever: Cameras^{1,2} not only aid in hooking up your trailer, but in maneuvering it as well, and an 8" productivity screen¹ in the instrument cluster relays vital information to keep you in the know.

TRAILER-TOWING PROFICIENCY is possible with the advanced towing technology of Ford Super Duty. Strategically placed cameras^{1,2} help you see all around Super Duty. And when hooking up a trailer or navigating it through a crowded job site, what you see can make all the difference. You'll also glean vital information from the 8" color LCD productivity screen¹ in the instrument cluster. If there's a problem, you'll be notified.

- 1. Front 180-degree camera view.3
- 2. 360-degree camera with Split-View Display.1
- 3. CHMSL camera view.
- Trailer Reverse Guidance^{1,2} automatically switches between side and rear camera views to show you what is most relevant while backing up your trailer, and even provides overlays to guide you.
- 5. A class-exclusive Individual Trailer Tire Pressure Monitoring System¹ can monitor and display the individual tire pressures of a connected trailer, and alert you if any tire's pressure is low. A numerical value will even tell you how low.
- Diesel Exhaust Fluid (DEF) tank status screen.¹















- A FRONT 180-DEGREE CAMERA with washer^{2,3}
 not only helps to see ahead, but around tight
 corners as well. It can see to the left and right
 before you have a line of sight, displaying a
 view around corners, down alleys and out of
 parking spots as you slowly drive forward.
- 2,3. A CAMERA IN EACH SIDEVIEW MIRROR?³ along with the front and rear cameras, generates a 360-degree view. This all-around view of Super Duty is displayed on the 8" color LCD screen¹ in the center stack of the instrument panel.
- A FORWARD-FACING CAMERA¹ is utilized by lane-keeping alert.^{1,2,4} It can detect lane markings and send vibration pulses to the steering wheel if it senses Super Duty drifting out of its lane.

- A CENTER HIGH-MOUNTED STOP LAMP (CHMSL) CAMERA¹ with zoom function helps provide greater visibility of the cargo in the cargo box while in Reverse (shown above in photo 3), and is particularly helpful when connecting a 5th-wheel/gooseneck trailer.
- 6. A REAR VIEW CAMERA² with zoom function, mounted in the tailgate handle, provides a view of what's behind Super Duty and helps in the hookup of conventional trailers. It is one of the cameras used by the 360-degree camera with Split-View Display.¹
- 7. A CUSTOMER-PLACED TRAILER CAMERA¹ can be attached to the rear of your trailer. It shows you what's behind the trailer when backing up, and it's weatherproof. The image can be accessed on the 8" color LCD screen¹ in the center stack.











Day or night, Super Duty provides the tools you need to finish any job. Class-exclusive LED sideview mirror spotlights¹ can light your work site well into the night. They join quad-beam LED headlamps¹ and LED taillamps.¹ LED box lighting¹ smartly illuminates the cargo box with forward-facing lights. Turn them on with the button in the bed or with the headlamps control in the cab.

First-in-class remote tailgate release¹ with power remote locking opens the tailgate with your key fob. Lock, unlock and lower it, hands-free. When activated, the tailgate gradually lowers to a flat position. Enjoy easy payload access thanks to extended-length step bars¹ that reach to the sides of the cargo box, as well as our class-exclusive tailgate step.¹ Fully integrated inside the tailgate, the skid-resistant step drops down in one easy motion when needed. With it down, just flip up the sturdy grab handle and walk right into the bed.

Class-exclusive BoxLink™ with locking cleats¹ helps keep your cargo in place. Load dirt bikes and ATVs with ease thanks to class-exclusive stowable loading ramps.¹ When finished, stow the ramps with the BoxLink system.




















2018 Super Duty® | ford.com






F-350 F-450 F-250 Max. Towing¹ 18.500 lbs. 32.000 lbs. BEST-IN-CLASS 34,000 lbs. Max. Conventional Towing¹ 18,000 lbs. BEST-IN-CLASS 21,000 lbs. BEST-IN-CLASS 21,000 lbs. BEST-IN-CLASS 7,630 lbs. Max. Payload1 4,250 lbs. 5,600 lbs. Max. GVWR1 10,000 lbs. 14,000 lbs. 14,000 lbs. Max. GCWR1 25,700 lbs. 40,000 lbs. BEST-IN-CLASS: 42,800 lbs. Engines 6.2L Gas V8 6.2L Gas V8 6.7L Power Stroke® V8 Turbo Diesel 6.7L Power Stroke V8 Turbo Diesel 6.7L Power Stroke V8 Turbo Diesel Single Rear Wheel (SRW) 4x2 or 4x4 SRW or Dual Rear Wheel (DRW); 4x2 or 4x4 DRW 4x2 or 4x4 Drivetrains Cab Types Regular Cab, SuperCab or Crew Cab Regular Cab, SuperCab or Crew Cab Crew Cab 8' Box Lengths 6¾' or 8' 6¾' or 8'























LARIAT













Regular Cab¹ Available: XL, XLT



Crew Cab Standard:

Available: XL, XLT, LARIAT



KING RANCH,® PLATINUM, LIMITED

All trims Regular Cab SuperCab/Crew Cab Available: SRW/DRW XL, XLT, LARIAT

8' Box Size

Available:



6¾¹ Box Size

Available: All trims SuperCab/Crew Cab SRW



40/20/40 split front seat

Standard: XL, XLT Optional:

LARIAT



40 front bucket seats

Optional: ΧĹ



40/console/40 front bucket seats

Standard: LARIAT, KING RANCH, PLATINUM, LIMITED

Optional: XLT



STANDARD FEATURES

Mechanical

Axle – Front, narrow-track, twin-coil monobeam (F-250/F-350 4x4)

Axle - Front, narrow-track, Twin-I-Beam (F-250/F-350 4x2)

Axle - Front, wide-track, twin-coil monobeam (F-450)

Electronic shift-on-the-fly transfer case (4x4)

Hydraulic power-assisted steering

Jack - 2-ton mechanical (SRW)

Jack - 4-ton hydraulic (DRW)

Manual locking hubs (4x4)

Oil monitor - Intelligent Oil-Life Monitor® (diesel engine)

Oil monitor - Oil-life minder (gas engine)

Power 4-wheel disc brakes with Anti-Lock Brake System (ABS)

Stabilizer bar - Front

Stabilizer bar - Rear (DRW)

Stationary Elevated Idle Control (SEIC)1

Steering damper

Suspension - Front, coil springs

Suspension – Heavy-duty gas shock absorbers

Suspension - Rear, leaf-spring

Trailer sway control

Trailer tow – 2.5" Built Ford Tough® trailer hitch receiver with 2"-2.5" sleeve reducer (F-250; F-350 SRW with gas engine; F-350 SRW Regular Cab/SuperCab with diesel engine)

Trailer tow – 3.0" Built Ford Tough trailer hitch receiver with 2"–2.5" and 2.5"–3" sleeve reducers (F-350 SRW Crew Cab with diesel engine; DRW)

Trailer tow – 7-wire harness with relays and 7-/4-pin connector (F-250/F-350)

Trailer tow – 7-/4-pin connector (F-450)

Interior

12V powerpoints, 2 in instrument panel

Air conditioning

Cabin air filter

Coat hooks

Dash-top tray

Driver and front-passenger grab handles, and rear-passenger on Crew Cab

Illuminated and lockable glove boxes (2)

Lighting - Dome light

Lighting - Dual map lights

(front on Regular Cab/SuperCab; front and rear on Crew Cab)

Outside temperature display

Overhead console with dual storage bins (SuperCab/Crew Cab)

Exterior

Configurable daytime running lamps

Doors - 2 (Regular Cab)

Doors - 4 (SuperCab/Crew Cab)

Front fender vents

Front license plate bracket

Front tow hooks, 2

Lighting - 3-blink lane change signals

Lighting – Center high-mounted stop lamp (CHMSL)

with cargo lamp

Lighting - LED roof marker/clearance lamps (DRW)

Pickup box - Box rail and tailgate moldings

Pickup box - Partitionable and stackable

Pickup box - Tie-down hooks (4 with 634' box; 6 with 8' box)

Removable tailgate with key lock

Underhood service lamp

Variable-intermittent windshield wipers with washers

Driver-Assist Technology

 $\label{lem:automatic} \textbf{Autolamp automatic on/off headlamps with rainlamp feature}$

Hill start assist

Safety & Security

Driver and right-front-passenger front and front-seat side airbags²

Front-passenger airbag deactivation switch (Regular Cab and SuperCab)

Safety Canopy® System with side-curtain airbags² and rollover sensor

AdvanceTrac® with RSC® (Roll Stability Control™)

Belt-Minder® front safety belt reminder

Child-safety-seat top tether anchors

(Regular Cab front passenger, and all rear-seat positions)

Front height-adjustable shoulder safety belts

Individual Tire Pressure Monitoring System

(F-250/F-350, excludes spare)

MyKey® technology to help encourage responsible driving

Rear view camera with dynamic hitch assist

SecuriLock® Passive Anti-Theft System

SOS Post-Crash Alert System™

POWERTRAINS/MECHANICAL

	6.7L Power Stroke® V8 Turbo Diesel	6.2L 2-Valve Gas V8 FFV
Configuration	OHV (32-valve)	SOHC
Electronic fuel injection	High-pressure common-rail	Sequential multi-port
Induction system	Single-sequential turbocharger; charged air cooler	Specially tuned
Cooling system	Pressurized series flow	Pressurized series flow
Block material	Compacted graphite iron	Cast iron
Valve operation	Push rod/rocker arms	Roller-rocker shafts
Camshaft drive	Gear	Silent chain
Bore/stroke	3.90"/4.25"	4.02"/3.74"
Compression ratio	16.2:1	9.8:1
Horsepower@rpm	450@2,800	385 @ 5,750³
Torque lbft. @ rpm	935@1,800	430@3,800
Recommended fuel	Ultra-low-sulfur diesel or B20 (containing 20% or less biodiesel)	Regular unleaded or E85; bi-fuel-capable autogas CNG or propane (requires upfit)
Transmission	TorqShift® 6-speed SelectShift® automatic with tow/haul mode	TorqShift-G 6-speed SelectShift automatic with tow/haul mode (F-250) TorqShift 6-speed SelectShift automatic with tow/haul mode (F-350)
Standard availability	F-250/F-350: LIMITED F-450: XL, XLT, LARIAT, KING RANCH,® PLATINUM, LIMITED	F-250/F-350: XL, XLT, LARIAT, KING RANCH, PLATINUM
Optional availability	F-250/F-350: XL, XLT, LARIAT, KING RANCH, PLATINUM	

Front Suspension

Axle (max. rating @ ground) – 5,250 lbs. (F-250/F-350 4x2); 6,000 lbs. (F-250/F-350 w/3.31 axle delete);

6,000 lbs. (F-250/F-350 4x4); 7,000 lbs. (F-450)

Shock absorbers - 1.38" gas type

Rear Suspension

Axle (max. rating @ ground) – 6,200 lbs. (F-250); 7,280 lbs. (F-350 SRW); 9,650 lbs. (F-350 DRW/F-450)

Shock absorbers - 1.38" gas type

Brakes

Rotor diameter (front/rear) – 14.29"/14.29" (F-250/F-350); 15.39"/15.74" (F-450)

Wheels

Number of studs – 8 (F-250/F-350); 10 (F-450)

Bolt-circle diameter – 6.69" (170-mm) SRW; 7.87" (200-mm) F-350 DRW; 8.86" (225-mm) F-450



XL	ALI	KING DANCH®	KING KANCH	PLATINUM		XL	LARIAT	KING RANCH	PLATINUM	LIMILED		XL	XLT	LARIAT	KING RANCH	PLATINUM	ПМІТЕВ
					Mechanical	SS	S	S	S	Driv	ivetrain – 4x2						Driver-Assist Technology
5 5	S	5 5	S		Axle – Rear, 3.31 non-limited-slip ¹	0 0	0	0	0 S	S Driv	ivetrain - 4x4			0	0	0	S Adaptive cruise control and collision warning
					(SRW with diesel engine)	0 0	0	0	0 0	0 Eng	gine block heater (standard where required)						with brake support ¹
F	P	F	P 9	SS	Axle – Rear, 3.55 non-limited-slip ¹ (standard on SRW 4x4 with diesel engine and 20" wheels)	0 0)			Eng	gine idle shutdown - 5-minute			_			S Adaptive steering ¹
				C C	,	0 0)			Eng	gine idle shutdown – 10-minute			_		_	S Automatic high-beam headlamps
	3	3	3 3	3 3	Axle – Rear, 3.55 non-limited-slip (F-350 DRW with diesel engine)	0 0)			Eng	gine idle shutdown – 15-minute	0	0	0	0	S	S BLIS® (Blind Spot Information System) with trailer coverage
	3 5	5 5	s s	S	Axle – Rear, 3.73 non-limited-slip	0 0)			Eng	gine idle shutdown – 20-minute			n	n	<u></u>	and cross-traffic alert
					(F-250/F-350 with gas engine)	SS	SS				el tank - 29-gallon			_			S Lane-keeping alert
) (0) (0 0	0 0	Axle – Rear, 3.55 limited-slip ¹					-	41.6" and 148" WB with diesel engine)			-		_	S Rain-sensing windshield wipers
					(SRW 4x4 with diesel engine; F-350 DRW with diesel engine)	SS	SS	S	SS		el tank - 34-gallon			3	3	3	S Reverse Sensing System
(0	0	0 0	0	Axle - Rear, 3.73 limited-slip (F-350 DRW with gas engine)	0 6		_		,	41.6" and 148" WB with gas engine; 159.8" and 164.2" WB)	0	5				SYNC® Voice Recognition Communications and Entertainmen System with 4.2" color LCD screen in center stack, 911 Assis:
(0	0	0 0	0 0	Axle – Rear, 4.10 limited-slip (F-350 DRW with diesel engine)		_	5	5 5		el tank – 48-gallon (176" WB)						AppLink,® and 1 smart-charging USB port;¹ and AM/FM
9	S	5 5	S	SS	Axle - Rear, 4.30 limited-slip (F-450)	0 0					anual transfer case x4; deletes standard electronic shift-on-the-fly transfer case)						stereo/single-CD player with MP3 capability
(0	0	0 0	0	Axle – Rear, 4.30 limited-slip (F-350 DRW with gas engine)	0 0	Н			-	perator-commanded exhaust filter regeneration (diesel engine)	0	0	S	S	S	S SYNC 3 with 8" color LCD capacitive touchscreen in center
(0	0	0		Axle – Rear, 3.31 electronic-locking ¹ (SRW with diesel engine)		_	0	0 0		wer takeoff (PTO) provision with transmission-mounted						stack, 911 Assist, AppLink, Apple CarPlay™ compatibility,
) (0 0	0	0 (0 0	Axle - Rear, 3.55 electronic-locking ¹ (SRW 4x4 with diesel engine)					live	e-drive and stationary modes ¹ (PTO port located on driver's de; split-shaft capability included with diesel engine only;						Android Auto™ compatibility, and 2 smart-charging USB port
(0	0	0 0	0	Axle – Rear, 3.73 electronic-locking (SRW with gas engine)					n/a	a on F-250 with gas engine)						
(0	0	0 (0	Axle – Rear, 4.30 electronic-locking (SRW with gas engine)	S/0 S/	6 S	S	SS		are wheel, tire, lock, frame-mounted carrier and jack						
5	3				Alternator – 157-amp heavy-duty¹ (gas engine)						ptional with pickup box delete)						
3	S				Alternator – 175-amp heavy-duty¹ (diesel engine)						ailer tow – 5th-wheel hitch, 18,000-lb. rating ^{1,2} (SRW)						
F	9	5 5	S	S	Alternator – 200-amp extra-heavy-duty¹ (gas engine)						ailer tow – 5th-wheel hitch, 27,500-lb. rating ^{1,2} (DRW)						
F	9	5 5	S	S	Alternator – 220-amp extra-heavy-duty ¹ (diesel engine)	0 0	0 0	0	0 0		ailer tow – Gooseneck dual hitch kit includes one 2 5/16"						
(0	0	0 0	0	Alternator – 240-amp extra-extra-heavy-duty (gas engine)						oseneck ball, one 3" gooseneck ball, and two safety chain -down bars ^{1,2} (F-450)						
F	P	P	P	P S	Alternator – Dual heavy-duty, 332-amp total ¹ (diesel engine)	0 0	0	0	0 0		ailer tow – Gooseneck hitch kit ^{1,2} (F-250/F-350)						
(0) (0 (0 0	Alternator - Dual extra-heavy-duty, 377-amp total ¹		_				ailer tow - Trailer brake controller with Smart Trailer Tow						
					(diesel engine)	70					nnector (standard on DRW)						
					Battery – 650-CCA, 72-amp-hr, single (gas engine)	0 0	0	0	0 0	0 Upf	ofitter interface module (Fleet only)						
3	S	5 5	S	S	Battery – 750-CCA, 78-amp-hr, single (gas engine)						neel locks (20" wheels only)						
) 5/	/o >/	0 3/	/0 5/	\$/o S	Battery – 750-CCA, 78-amp-hr, dual (standard with diesel engine; optional with gas engine)												



XLT	LARIAT	KING RANCH	PLATINUM	LIMITED		XL	XLT	LARIAT	KING RANCH	PLATINUM	LIMITED		XL	XLT	LARIAT	KING RANCH	PLATINUM	
					Seating							Interior	S	S	S			Steering column - Manual-tilt/-telescoping
					2-way adjustable driver and right-front-passenger head restraints	S						AM/FM stereo with 4 speakers (Regular Cab)			Р	S	S	S Steering column - Power-tilt/-telescoping with memory
S	S	S	S	S	4-way adjustable driver and right-front-passenger head restraints	S						AM/FM stereo with 6 speakers (SuperCab/Crew Cab)	S	S				Steering wheel - Black urethane
					Heavy-duty vinyl 40/20/40 split front seat with 2-way manual	P	S					AM/FM stereo/single-CD player with MP3 capability			S	S	S	S Steering wheel - Color-coordinated leather-wrapped
					seat adjust, driver's side manual lumbar, and folding armrest with cupholders and storage							and 4 speakers (Regular Cab)			Р	S	S	S Steering wheel - Heated
			Н		Cloth 40/20/40 split front seat with 2-way manual seat	P	S					AM/FM stereo/single-CD player with MP3 capability			S			Trim accents - Sandalwood film appliqués
					adjust, driver's side manual lumbar, and folding armrest					_		and 6 speakers (SuperCab/Crew Cab)				S		Trim accents - Khaya wood appliqués
					with cupholders and storage			3	3	3	3	Audio System from Sony® with AM/FM stereo/single-CD player with MP3 capability, 10 speakers and HD Radio™ Technology					S	Trim accents - Black Coarse Ash wood appliqués
			П		Heavy-duty vinyl front bucket seats with mini-console		0	0	S	S	S	Voice-activated Navigation System¹ with integrated SiriusXM						S Trim accents - Gradated Dark Ash Swirl wood appliqués
					and driver's side manual lumbar (Regular Cab only)			ľ				Traffic and Travel Link® with 5-year subscription ²			0	S	S	S Universal garage door opener
					Cloth front bucket seats with mini-console and driver's side	0	S	S	S	S	S	SiriusXM® Satellite Radio¹ with 6-month trial subscription²	0	0	0	0	0	S Upfitter switches, 6 located in overhead console ¹
			Ш		manual lumbar	S						2.3" productivity screen in instrument cluster		0	0	0	0	Vehicle Safe by Console Vault ^{1,3}
S					Cloth 40/20/40 split front seat, center under-seat lockable	-	S					4.2" LCD productivity screen in instrument cluster ¹	S					Visors – Adjustable driver with pocket and front-passenger
					storage with 12V powerpoint, 2-way manual seat adjust, driver's side manual lumbar, and folding armrest with cupholders and storage			-	s	S	S	8" configurable color LCD productivity screen in instrument cluster		S			+	with mirror Visors – Adjustable driver and front-passenger
0					Cloth front bucket seats with 8-way power driver seat, 2-way manual passenger seat, driver's side manual lumbar, and							110V/400W power outlet, 1 in instrument panel; also includes 1 rear-facing on the flow-through center console, if equipped ¹			S	S	S	with covered mirrors Visors – Adjustable driver and front-passenger with covered and illuminated vanity mirrors
					flow-through center console with lockable storage and 2 rear- facing powerpoints¹ (SuperCab/Crew Cab)	Р	S	_		-		Accessory delay for power features	S	S				Window - Rear, fixed
	c	c	0		Leather-trimmed heated and cooled 10-way power front			-	S	S	S	Ambient lighting	0					Window - Rear, fixed with defroster and privacy glass ¹
	3	3	3		bucket seats and flow-through center console with lockable	S	S	-				Climate control – Single-zone manual			S	S	S	S Window - Rear, power-sliding with defroster and privacy glass
	0			:	storage and 2 rear-facing powerpoints Leather-trimmed heated and cooled 10-way power 40/20/40			S	S	S	S	Climate control – Dual-zone electronic automatic temperature control		U	3	3	3	(SuperCab/Crew Cab)
					split front seat, center under-seat lockable storage with 12V powerpoint, and folding armrest with cupholders and storage	0	0	0	0	0	0	Climate control – Rapid-heat supplemental cab heater ¹ (diesel engine; standard where required)	S P	S	S	S	S	Windows - Manual Windows - Power with front one-touch-up/-down feature
		Р	S		Multicontour front bucket seats with Active Motion®	Р	S	S	S	S	S	Cruise control with steering wheel-mounted controls						
	P				Easy-entry/-exit driver's seat feature with memory		0	0	0	0	0	Flooring – Floor liners¹						
	ŀ				Heavy-duty vinyl 60/40 split flip-up rear seat	S	0	0				Flooring – Black vinyl/carpet delete						
S			Н		Cloth 60/40 split flip-up rear seat	0	S	S	S	S	S	Flooring – Carpet with front and rear carpeted floor mats ¹						
Ŭ	S				Premium vinyl 60/40 split flip-up rear seat (SuperCab)				0	0	0	Flooring – Premium vinyl with front and rear carpeted floor						
	-	S	S		Leather-trimmed 60/40 split flip-up rear seat (Crew Cab)							mats and floor liners						
	_				Rear under-seat fold-flat storage, lockable and partitionable,						S	Illuminated door-sill scuff plates						
3	3	3	3		with 12V powerpoint (Crew Cab)			_	S	S	S	Locks – Power door and tailgate with autolock/unlock						
S	S		П		Rear under-seat storage with 12V powerpoint (SuperCab)	Р	S					Mirror - Day/night rearview						
	-	S	S		Fold-down rear-seat center armrest with dual integrated	S		S	S	S	S	Mirror – Auto-dimming rearview						
					cupholders (Crew Cab)		P	S				Power-adjustable pedals						
	0	0	S	S	Heated rear outboard seats¹ (Crew Cab)			P	S	S	S	Power-adjustable pedals with memory						




XL	XLT	LARIAT	KING KANCH	PLATINUM		XL			DI ATIMIM	LIMITED	LIMILED		,	XL	XLT	LARIAT	KING RANCH	PLATINUM	LIMITED	
					Exterior		P 5	5 5	3			Fog lamps – Halogen				Р	S	S	S	Mirrors – Memory feature for sideview mirrors
) (0	0 (0	0 0	Bed mat ¹			F	9	S	3	Fog lamps – LED ¹		S	S					Mirrors - Black sideview mirror caps
0 (0	0 (0	0 0	Bedliner – Drop-in ¹	0	0 0	0	0	0		Ford Telematics™ powered by Telogis®2 – Fleet-tracking				S	S		S	Mirrors - Body-color sideview mirror caps
_		_			Bedliner – Tough Bed® spray-in bedliner with tailgate guard							system (includes 1 year of service)			Р	Р	Р	S		Mirrors - Chrome sideview mirror caps
0 :	S	S	S	SS	BoxLink™ with 4 premium locking cleats	S						Glass - Solar-tint			0	0	0	0	S	Moonroof – Power, twin-panel¹ (Crew Cab)
S					Bumpers - Black-painted steel	0	SS	5 5	5 5	S		Glass – Privacy-tint on rear doors and rear window, solar-tint on windshield and front doors ¹		0	0	0	S	S	S	Remote Start System ¹
P :	S	SI	P		Bumpers - Chrome	6			Н			Grille - Black			Р	S	S	S	S	SecuriCode™ keyless entry keypad
		5	S		Bumpers – Stone Gray-painted steel	S P					-		-	0	0	0	0	0	0	Skid plates for transfer case and fuel tank (4x4)
				SS	Bumpers - Body-color-painted steel	P	S					Grille - Chrome 2-bar insert with Carbon Black surround		0	0	0	0	0	0	Splash guards – Front and rear ¹ (SRW)
0 s	%				Cab steps – Black platform running boards				H		-	Grille – Chrome 2-bar insert with chrome surround			0	0	0	0	0	Stowable bed extender¹ (SRW)
					(standard on DRW; optional on SRW)			5				Grille – Chrome main bars with accent-color secondary bars		0	0	0	0	0	0	Stowable loading ramps ¹
0 (0	0			Cab steps – 6" chrome angular step bars¹				S		-	Grille – Satin-aluminum main and secondary bars				Р	S	S	S	Tailgate – Remote release with power remote lock
					(SRW SuperCab and Crew Cab)				H	S		Grille – Satin-aluminum main bars with chrome secondary bars		0	0	0	0	S	S	Tailgate - Tailgate step with step, grab bar and tailgate lift assis
0 (0	S			Cab steps - 6" chrome angular step bars¹ (DRW SuperCab/Crew Cab)	S		5 5	_		-	Headlamps - Quad-beam jewel-effect halogen					Р	S	S	Tailgate appliqué – Satin-aluminum
	0	0 (n		Cab steps - Extended-length 6" chrome angular step bars			_	_	_	-	Headlamps – Quad-beam LED with LED taillamps and fog lamps ¹		S	S					Tailgate handle – Black
	١,				(SuperCab/Crew Cab)	0 (_) (0	-	Hood deflector, black molded			Р	S	S	S		Tailgate handle - Chrome
			s		Cab steps – Stone Gray angular step bars with lights	0	0 0)				Lighting – Amber LED warning strobes with CHMSL light bar and 2 hood-mounted lights by SoundOff Signal ^{©1,2}							S	Tailgate handle – Satin-aluminum
		0 0	0	SS	Cab steps – Power-deployable running boards ¹	0 (0 (Н		_	Lighting - Amber/white LED warning strobes with CHMSL light		S	S	S	S			Tow hooks - Black
0 (_			Camera - Rear CHMSL camera with LED CHMSL, and center			1				bar and 2 hood-mounted lights by SoundOff Signal ^{1,2}			Р	Р	Р	S	S	Tow hooks - Chrome
					stack screen display ¹	S/O S	/0 5	5 5	SS	S	_	Lighting – Center high-mounted stop lamp (CHMSL)		0	0	0				Wheel-well liners - Front¹ (SRW)
0 (0	0 (0	0 0	Camera – Customer-placed trailer camera ¹	,,,,						with cargo lamp (optional on pickup box delete)		0	0	0	0	0	0	Wheel-well liners - Front¹ (DRW)
0 (0	0 (0	0 0	Camera – Customer-placed trailer camera, and Individual	0	0 0) 5	S	S	3	Lighting – LED box lighting with LED CHMSL ¹		0	0	0	S	S	S	Wheel-well liners - Rear (SRW)
					Trailer Tire Pressure Monitoring System (TPMS) ¹	0	0 0	0	0	0)	Lighting – LED roof marker/clearance lamps (SRW)		0	0	0	0	0	0	Wheel-well liners - Front and rear (SRW)
0 (0				Camera – Rear view camera and prep kit¹ (requires pickup box delete)		() 5	3			Lower-accent two-tone paint (includes accent-color wheel-lip moldings on SRW)								Safety & Security
0 (0	0 (0	0 S	Camera – Ultimate Trailer Tow Camera System¹ (includes rear	S					-	Mirrors – Manually telescoping trailer tow with 2-way fold		_						Advanced Security Pack with inclination/intrusion sensors ¹
					view camera, trailer hook-up lamp, 360-degree camera with Split-View Display, rear CHMSL camera with LED CHMSL, and	P :	2					and manual glass Mirrors – Manually telescoping trailer tow with 2-way fold,		0	0	0	0	0	0	Inflatable rear safety belts in outboard seating positions ¹ (Crew Cab)
					Trailer Reverse Guidance)							power/heated glass, heated manual spotter mirrors, and				Р	S	S	S	Intelligent Access with push-button start
-11	Р	P	P	SS	Chrome exhaust tip							integrated clearance lamps and turn signal indicators		Р	S	S	S	S	S	Perimeter alarm
S	S				Door handles - Black		0 8	5 5	S	S		Mirrors – PowerScope® power-telescoping/-folding trailer		Р	S	S	S	S	S	Remote Keyless Entry System with 2 integrated keyhead
		_	S		Door handles - Body-color							tow with power/heated glass, heated manual spotter mirrors,								transmitter remotes
1	Р	P	P	-	Door handles - Chrome							integrated clearance lamps, turn signal indicators, high- intensity LED security approach lamps, and Utility Lighting								
					Door handles - Satin-aluminum							System (LED sideview mirror spotlights)								
J (U (U	0 0	Exterior backup alarm by ECCO®2															



XLT	LARIAT	NING KANCH	PLATINUM		XL	LARIAT	KING RANCH	PLAIINUM	LIMITED		XL	XLT	LARIAT	KING RANCH	PLATINUM	LIMITED	
				Packages		0				LARIAT Value Package ¹ : easy-entry/-exit driver's seat with	0	0	0	0	0	0	9,900-lb. GVWR Package ¹ (F-250)
S	S	S	SS	Power Equipment Group¹: accessory delay for power features;						memory, LED box lighting, LED CHMSL with cargo lamp, power-adjustable pedals with memory, PowerScope® trailer	_		-		-		10,000-lb. GVWR Package ¹ (F-350 SRW)
				trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and						tow mirrors with memory, and Remote Start System			-		-		11,400-lb. GVWR Package ¹ (F-350 SRW)
				turn signal indicators; perimeter alarm; power door and tailgate		0				LARIAT Ultimate Package ¹ (Crew Cab only): ambient lighting,			-		-		13,000-lb. GVWR Package ¹ (F-350 DRW)
				locks; power windows with front one-touch-up/-down feature; and Remote Keyless Entry System with 2 integrated keyhead transmitter remotes XL Value Package¹: 4.2" center stack screen, AM/FM stereo/						auto high-beam headlamps, rain-sensing windshield wipers, easy entry/exit driver's seat with memory, LED box lighting, LED CHMSL with cargo lamp, power-adjustable pedals with memory, Intelligent Access with push-button start, heated	0	0	0	0	0	0	5th-Wheel/Gooseneck Trailer Tow Prep Package ¹ (4x4 only 4x2 available by dealer install, consult your dealer): 1 under bed frame crossmember, 5 pickup bed 5th-wheel/goosene attachment points and close-out plugs, and an integrated 7-pin connector on the driver's side pickup bed wall
				single-CD player with MP3 capability, cruise control, bright center caps on wheels (SRW only), and chrome front and rear bumpers STX Appearance Package¹: AM/FM stereo/single-CD player						steering wheel, power-tilt/-telescoping steering column with memory, PowerScope trailer tow mirrors with memory, Remote Start System, remote tailgate release, tailgate step, and voice-activated Navigation System with integrated SiriusXM® Traffic and Travel Link® with 5-year subscription ²	0	0	0	0			Camper Package ¹ : front springs upgrade (unless maximum springs have been computer-selected as included equipmen rear stabilizer bar (SRW), auxiliary rear springs (F-250), and slide-in camper certification
				with MP3 capability, cruise control, chrome grille with Carbon Black surround, chrome front and rear bumpers, 18" cast-aluminum wheels with bright center caps and LT275/65Rx18E BSW all-season tires (SRW), 17" polished forged-aluminum		0				Tow Technology Bundle: adaptive steering, auto high-beam headlamps, rain-sensing windshield wipers, lane-keeping alert, Driver Alert System, and Ultimate Trailer Tow Camera System	0	0	0	0	0		CNG/Propane Gaseous Engine Prep Package (F-250/F-35 gas engine only): hardened engine intake valves and valve seats and bi-fuel manifold
0				wheels (F-350 DRW), and STX fender vent badges Pickup box delete¹ (F-250/F-350 with 8¹ box only): deletes pickup box, tailgate, rear bumper, 7-/4-pin connector, CHMSL with cargo lamp, lack, and cargo wheel tire look and cargier		0	0			Chrome Package ¹ : 6" chrome angular step bars, 18" chrome- like PVD wheels (SRW only), chrome door handles, chrome exhaust tip, chrome tow hooks, and chrome mirror caps; KING RANCH also includes chrome front and rear bumpers							F-250 High-Capacity Trailer Tow Package ¹ (F-250 with 8' b and diesel engine only): max. front springs, upgraded axles and 27,500-lb. GCWR
0				with cargo lamp, jack, and spare wheel, tire, lock and carrier Heavy-Service Front Suspension Package for pickup box delete¹ (SRW with pickup box delete): front springs upgrade (unless maximum springs have been computer-selected as			0			and chrome tailgate appliqué KING RANCH Monochromatic Paint Package¹: monochromatic paint; deletes two-tone lower accent color and Stone Gray	U	U		U	U	U	FX4 Off-Road Package¹ (4x4 only): Hill Descent Control,™ off-road-tuned front and rear shocks, skid plates for transficase and fuel tank, FX4 Off-Road box decals (box decals nincluded on PLATINUM)
0				included equipment), rear auxiliary springs (F-250), and rear stabilizer bar XLT Value Package¹: autolock/unlock, fog lamps, power-		Н	0			wheel-lip moldings; requires Chrome Package KING RANCH Ultimate Package: BLIS® (Blind Spot Information System) with trailer coverage and cross-traffic alert; LED	0	0	0	0	0	0	Heavy-Service Front Suspension Package¹: front springs upgrade (unless maximum springs have been computer-selected as included equipment)
				adjustable pedals (SuperCab/Crew Cab only), 8-way power driver's seat (SuperCab/Crew Cab only), Reverse Sensing System, and SecuriCode keyless entry keypad		П				headlamps, fog lamps, and taillamps; twin-panel moonroof; tailgate step; power-deployable running boards; and multicontour front bucket seats with Active Motion®					0	0	Snow Plow Prep Package¹ (4x4 only): computer-selected sprii for snow plow application, and extra-heavy-duty alternator
0				XLT Premium Package¹ (SuperCab/Crew Cab): 4.2" LCD productivity screen in instrument cluster, SYNC® 3, 6" chrome angular step bars, 18" chrome-like PVD wheels (SRW only), autolock/unlock, chrome exhaust tip, chrome door and tailgate handles, chrome tow hooks, halogen fog lamps, power-adjustable pedals, 8-way power driver's seat with heat, 2-way manual passenger seat with heat, Reverse Sensing System, SecuriCode keyless entry keypad, and chrome mirror caps				0		PLATINUM Ultimate Package: adaptive cruise control and collision warning with brake support, lane-keeping alert, Driver Alert System, twin-panel moonroof, and Ultimate Trailer Tow Camera System	0	0	0	0			Snow Plow/Camper Package¹ (4x4 only): computer-selected front springs for snow plow application, extra-heavy-duty alternator, rear stabilizer bar (SRW), auxiliary rear springs (F-250), and slide-in camper certification



V	V I				. §	6 /	TIRES S:Standard 0:Optional P:Package Content
	XL	XLT	LARIAT	KING RANCH®	PLATINUM	LIMITED	
1	S						17" Argent-Painted Steel with Painted Center Cap (SRW)
2	0						18" Argent-Painted Steel with Painted Center Cap (F-350 SRW)
3	P	S					18" Cast-Aluminum with Bright Center Cap (SRW; included in STX Package)
4		Р	Р				18" Chrome-Like PVD with Bright Center Cap¹ (SRW with Chrome Package)
5			S				18" Bright-Machined Cast-Aluminum with Bright Center Cap (SRW)
6			0				20" Premium Cast-Aluminum with Bright Center Cap (SRW 4x4)
7			0				20" Chrome-Like PVD with Bright Center Cap ¹ (SRW 4x4 with Chrome Package)
8			0				20" Chrome-Like PVD with Bright Center Cap¹ (SRW 4x4 with diesel engine and Chrome Package)
9				S			18" Bright-Machined Cast-Aluminum with KING RANCH Center Cap (SRW 4x4)
10				P			18" Chrome-Like PVD with KING RANCH Center Cap (SRW with Chrome Package)
11				0			20" Premium Painted Cast-Aluminum with KING RANCH Center Cap (SRW $4x4$)
12				0			20" Chrome-Like PVD with KING RANCH Center Cap ¹ (SRW 4x4 with Chrome Package)
13				0			20" Chrome-Like PVD with KING RANCH Center Cap¹ (SRW 4x4 with diesel engine and Chrome Package)
14					S		20" Polished Aluminum with Bright Center Cap¹ (SRW)
15					S		20" Polished Aluminum with Bright Center Cap¹ (SRW with diesel engine)
16						S	20" Polished Aluminum with Bright Center Cap (SRW)
17	S	S					17" Argent-Painted Steel without Center Cap (F-350 DRW)
18	0	0					17" Stainless Steel Covers, Front and Rear¹ (F-350 DRW)
19	0	0	S		S	S	17" Polished Forged-Aluminum with Bright Center Cap ² (F-350 DRW)
20				S			17" Polished Forged-Aluminum with KING RANCH Center Cap ² (F-350 DRW)
21	S	S	S		S	S	19.5" Polished Forged-Aluminum with Bright Center Cap ² (F-450)
22				S			19.5" Polished Forged-Aluminum with KING RANCH Center Cap ² (F-450)
	s						LT245/75Rx17E BSW All-Season (SRW)
	S	S	S	S	S	S	LT245/75Rx17E BSW All-Season (F-350 DRW)
	0						LT245/75Rx17E BSW All-Terrain¹ (SRW)
	0	0	0	0	0	0	LT245/75Rx17E BSW All-Terrain (F-350 DRW)
		0	0	0	0	0	LT245/75Rx17E OWL All-Terrain (F-350 DRW; BSW rear inner tires)
	0						LT265/70Rx17E OWL All-Terrain (SRW)
	0	S	S	S			LT275/65Rx18E BSW All-Season ¹ (SRW)
	0	0	0	0			LT275/70Rx18E BSW All-Terrain ¹ (SRW 4x4)
	0	0	0	0			LT275/70Rx18E OWL All-Terrain (SRW 4x4)
			0	0	0		LT275/65Rx20E OWL All-Season (SRW 4x4)
			0	0	S	S	LT275/65Rx20E OWL All-Terrain (SRW 4x4)
	S	S	S	S	S	S	225/70R19.5G BSW All-Season (F-450)





	Two-Tone	XL	XLT	LARIAT	KING RANCH®	PLATINUM	LIMITE
White Platinum Metallic Tri-coat ¹				5 6	7	8 9	10
Oxford White		1 2	3 4	5 6	7		
Ingot Silver ²		1 2	3 4	5 6		8 9	
White Gold ²			4	5 6	7	8 9	10
Stone Gray ^{2,3}			3 4	5 6	7		10
Magma Red ^{2,4}			4	5 6	7		10
Race Red		1 2	3 4	5 6			
Ruby Red Metallic Tinted Clearcoat ¹			3 4	5 6	7	8 9	10
Blue Jeans ²		1 2	3 4	5 6	7		
Magnetic ²		1 2	3	6		8 9	
Shadow Black		1 2	3 4	5 6	7	8 9	10





10



Dark Marsala Luxury Leather with Tuxedo Stripes

Camelback Two-Tone Premium Luxury Leather

DIMENSIONS

	Regular Cab	SuperCab		Crew Cab	
Exterior	8' Box 4x2/4x4	6¾¹ Box 4x2/4x4	8' Box 4x2/4x4	6¾' Box 4x2/4x4	8' Box 4x2/4x4
Wheelbase	141.6"	148.0"	164.2"	159.8"	176.0"
Length	231.8"	238.2"	254.4"	250.0"	266.2"
Width SRW (excl. mirrors) DRW (excl. mirrors) With mirrors With mirrors extended	80.0" 96.0" 105.9" 110.0"	80.0" - 105.9" 110.0"	80.0" 96.0" 105.9" 110.0"	80.0" - 105.9" 110.0"	80.0" 96.0" 105.9" 110.0"
Height F-250 SRW (w/o options) F-350 SRW (w/o options) F-350 DRW (w/o options) F-450 DRW (w/o options)	77.9"/81.1" 77.8"/80.9" 78.1"/80.6"	78.4"/81.5" 78.2"/81.3" - -	78.1"/81.4" 78.0"/81.2" 77.8"/80.9"	78.3"/81.5" 78.2"/81.3" –	78.0"/81.3" 78.0"/81.1" 77.9"/81.0" 81.3"/81.3"
Ground clearance F-250 SRW F-350 SRW F-350 DRW F-450 DRW	8.5"/8.3" 8.5"/8.2" 7.8"/7.7"	8.5"/8.2" 8.5"/8.2" —	8.5"/8.2" 8.5"/8.2" 7.8"/7.8"	8.5"/8.2" 8.5"/8.2" -	8.5"/8.2" 8.5"/8.2" 7.8"/7.8" 8.6"/8.6"

Interior	Regular Cab	SuperCab	Crew Cab
Front			
Head room	40.8"	40.8"	40.8"
Leg room (max.)	43.9"	43.9"	43.9"
Hip room \	62.5"	62.5"	62.5"
Shoulder room	66.7"	66.7"	66.7"
Rear			
Head room	_	40.3"	40.4"
Leg room	-	33.5"	43.6"
Hip room	_	64.7"	64.7"
Shoulder room	_	65.8"	65.9"
Total passenger			
volume	64.6 cu. ft.	116.0 cu. ft.	131.8 cu. ft.
Cargo volume			
behind 1st row	11.6 cu. ft.	31.6 cu. ft.	52.1 cu. ft.

Cargo Box	8' Box	63/41 Box
Volume (cu. ft.)	78.5	65.4
Length at floor	98.1"	81.9"
Width at wheelhouse	50.5"	50.5"
Width at floor (max.)	66.9"	66.9"
Cargo box height	21.1"	21.1"

PAYLOAD

Maximum Payload Weight Ratings (lbs.)

	Max. GVWR	Regular Cab 141.6" WB	SuperCab 148.0" WB	164.2" WB	Crew Cab 159.8" WB	176.0" WB
F-250 SRW 4x2	9,900 10,000	4,150 4,250	3,870 3,970	3,760 3,860	3,770 3,870	3,540 3,640
F-250 SRW 4x4	9,900 10,000	3,730 3,830	3,460 3,560	3,370 3,470	3,370 3,470	3,120 3,220
F-350 SRW 4x2	9,900 10,000 10,100 10,300 10,400 10,500 10,600 10,800 11,000 11,100 11,200 11,300 11,400 11,500	3,960 4,060 - - 4,400 - 3,920 - - - 4,360 - - -	3,710 3,810 - - 4,250 - 3,890 - - 4,230 - -	3,590 3,690 - 3,990 - - - 4,440 - 3,960 - - - 4,300 4,400	3,550 3,650 3,750 - - - 4,190 - 3,800 - - 4,150 - -	3,320 3,420 - - - 3,920 - 4,260 - 3,760 - - 4,000 4,100
F-350 SRW 4x4	9,900 10,000 10,300 10,400 10,500 10,700 10,800 10,900 11,100 11,200 11,300 11,400 11,500	3,550 3,650 3,950 - - 4,390 - 3,910 - - 4,880 4,250 4,350	3,290 3,390 - 3,790 - 4,130 - 3,780 - 4,630 4,020 4,120	3,180 3,280 - - - 3,980 - - - - 4,420 3,850 4,620 4,720	3,140 3,240 - - 3,740 - - 4,080 - - 3,690 4,470 3,840 3,940	2,900 3,000 - - - 3,800 - - - 4,240 4,340 4,440
F-350 DRW 4x2	13,000 14,000	6,630 7,630	_	6,180 7,180	-	5,950 6,950
F-350 DRW 4x4	13,000 14,000	6,210 7,210	-	5,760 6,760	-	5,530 6,530
F-450 DRW 4x2	14,000	_	-	_	-	5,630
F-450 DRW 4x4	14,000	-	-	_	-	5,310

Best-in-class configuration shown in bold.



6 auxiliary upfitter switches¹ are mounted overhead, within easy reach of front-seat occupants.

Up to 6 power sources, including 12V powerpoints¹ and 110V power outlets, help you recharge your equipment easily. And the combined max. output of these outlets is 400W in Park and 300W when driving.



	Engine	Axle Ratio	GCWR	Regular Cab Conventional I Weight Carrying	Towing Weight Distribution	5th-Wheel/ Gooseneck Towing	SuperCab Conventional To Weight Carrying	owing Weight Distribution	5th-Wheel/ Gooseneck Towing	Crew Cab Conventional Weight Carrying	Towing Weight Distribution	5th-Wheel/ Gooseneck Towing
F-250 SRW 4x2	6.2L Gas	3.73 4.30	19,500 22,000	13,000 13,000	13,300 14,000	13,200 15,700	13,000 14,000	13,000 15,000	13,000 15,500	12,900 14,000	12,900 15,000	12,900 15,400
	6.7L Diesel	3.31/3.55	24,100 24,700 25,700	- - 14,000¹	- - 15,000¹	- - 18,500¹	- - 15,000¹	- - 15,000¹	- 17,300¹ -	- - 18,000¹	- - 18,000¹	16,500¹ - -
F-250 SRW 4x4	6.2L Gas	3.73 4.30	19,500 22,000	12,900 15,000	12,900 15,000	12,800 15,300	12,600 15,000	12,600 15,000	12,600 15,100	12,500 15,000	12,500 15,000	12,500 15,000
	6.7L Diesel	3.31/3.55	22,500 22,700 24,400 25,200 25,700	- - - 14,000¹	 	- 16,400¹ - -	- - 15,000¹ 14,000¹	- - 15,000 ¹ 15,000 ¹		- - - - 17,500 ¹	- - - - 17,500¹	14,700¹ - - - -
-350 SRW 4x2	6.2L Gas	3.73 4.30	19,500 23,000	13,000 13,000	13,100 14,000	13,000 16,500	12,800 13,000	12,800 14,000	12,800 16,300	12,700 15,000	12,700 15,000	12,600 16,100
	6.7L Diesel	3.31/3.55	28,700	14,000	15,000	21,500 ²	15,000	15,000	21,300 ²	18,000	18,000	21,0002
-350 SRW 4x4	6.2L Gas	3.73 4.30	19,500 23,000	12,600 15,000	12,600 15,000	12,600 16,100	12,400 15,000	12,400 15,000	12,400 15,900	12,300 15,000	12,300 15,000	12,200 15,700
	6.7L Diesel	3.31/3.55	28,700	14,000	15,000	21,100 ²	15,000	15,000	20,900²	18,000	18,000	20,600²
-350 DRW 4x2	6.2L Gas	3.73 4.30	20,000 23,500	13,200 16,700	13,200 16,700	13,100 16,600	12,700 16,200	12,700 16,200	12,700 16,200	12,500 16,000	12,500 16,000	12,500 16,000
	6.7L Diesel	3.55 4.10	36,000 40,000	18,000 18,000	21,000 21,000	28,400 ³ 32,000 ³	18,000 18,000	21,000 21,000	28,000 ³ 32,000 ³	19,000 19,000	21,000 21,000	27,700 ³ 31,700 ³
-350 PRW 4x4	6.2L Gas	3.73 4.30	20,000 23,500	12,700 16,200	12,700 16,200	12,700 16,200	12,300 15,800	12,300 15,800	12,300 15,800	12,100 15,600	12,100 15,600	12,000 15,500
	6.7L Diesel	3.55 4.10	36,000 40,000	18,000 18,000	20,000 20,000	27,900 ³ 31,900 ³	19,000 19,000	21,000 21,000	27,600 ³ 31,600 ³	21,000 21,000	21,000 21,000	27,300 31,300³
-450 PRW 4x2	6.7L Diesel	4.30	42,800	_	-	-	-	-	-	21,000	21,000	34,000³
F-450 DRW 4x4	6.7L Diesel	4.30	41,700	-	-	-	-	-	-	21,000	21,000	32,500³


Best-in-class configurations shown in bold.

2018 Super Duty® | ford.com

WB = wheelbase SWB = short wheelbase (63% cargo box) LWB = long wheelbase (8' cargo box) ¹Requires F-250 High-Capacity Trailer Tow Package. ²Gooseneck tow rating shown. 5th-wheel tow rating limited to 5th-wheel hitch rating of 18,000 lbs. ³Gooseneck tow rating shown. 5th-wheel tow rating limited to 5th-wheel hitch rating of 27,500 lbs.

Maximum capabilities shown are for properly equipped vehicles with required equipment and a 150-lb. driver. Weight of additional options, equipment, passengers and cargo must be deducted from this weight. For additional information, see your Ford Dealer. Conventional/Gooseneck Towing Notes: This information also applies to models with Pickup box delete option (66D). Trailer tongue load weight should be 10% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer tongue load weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer tongue load weight, and the weight of passengers and cargo, must not cause vehicle weight net to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating) and the weight of passengers and cargo added to the towing vehicle. The addition of trailer kingpin load weight, and the weight of passengers and cargo, must not cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label.







FORD ACCESSORIES

XLT with XLT Value Package in Oxford White accessorized with 5" Black step bars, hood deflector, side window deflectors by EGR. hardfolding tonneau cover by Advantage, heavy-duty splash guards, chrome front tow hooks, LED fog lamps by Putco, and rear wheel-well liners

accessories.ford.com

Exterior Exhaust tips

Exterior trim kits1

Fender flares1

Fifth-wheel hitch kits (A)

Fog lamps¹

Hood/tailgate badge lettering1 Hood deflector

Hood protector1

Racks and carriers^{1,2}

Side window deflectors1

Splash guards Sportz® tents1

Stainless steel wheel covers1

Step bars

Trailer towing accessories

Wheel lock kits Wheel-well liners

Interior

All-weather floor mats (for vinyl floors) Ash cup/coin holders

Cargo organizers and protectors Door sill plates1

First aid and roadside assistance kits1 Floor liners (B)

In-vehicle safe1

Interior light kit

Protective seat covers1

Tablet cradle1

UVS100® Custom Sunscreen1

Electronics

Bullfrog® portable Bluetooth® speakers1

Ford Telematics™1

Rear seat entertainment1

Keyless entry keypad Remote start systems (D)

Strobe and work task lights1 Vehicle Security System Warning sensor systems1 Wireless charging¹

Bed Products

Bed cleats and cargo nets

Bed extenders, liners and mats

Bed rails1

Bed standard interface plate

Bed tailgate lock1

Bed tailgate viscous dampening cartridge

Bedliner plug kits

Commercial-grade tool/cargo box1 Pivot storage box1

Retractable stake pocket tie-downs1

Sportliners1

Stowable load ramps (C) Tonneau covers1

New Vehicle Limited Warranty. We want your Ford F-Series Super Duty® ownership experience to be the best it can be. Under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage on aluminum body panels - all with no deductible. The Ford 6.7L Power Stroke® diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty.

Roadside Assistance. Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle or need towing. Your Ford Dealer can provide complete details on all of these advantages.

Ford Credit. Get the ride you want. Whether you plan to lease or finance, you'll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at fordcredit.com.

Ford Protect™ Extended Service Plans. Whether you purchase or lease your Ford vehicle, insist on genuine Ford Protect extended service plans. Ford Protect has a variety of plans to give you peace-of-mind protection whether you want vehicle component or maintenance coverage. Plus, they are fully backed by Ford and honored at all Ford dealerships in the U.S., Canada and Mexico. When you visit your dealer, insist on genuine Ford Protect extended service plans.

Insurance Services. Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at fordvip.com for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company.

Ford Original Accessories. They're warranted for whichever provides you the greatest benefit: 24 months/unlimited mileage, or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

Android, Android Auto, Google, Google Maps, Google Play, Waze and logos are trademarks of Google Inc. Apple, Apple CarPlay, Apple Music, iPhone and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. Bullfrog is a registered trademark of Stillwater Designs. "HD Radio" and the HD Radio logo are proprietary trademarks of iBiquity Digital Corporation. King Ranch is a registered trademark of King Ranch, Inc. Miko is a registered trademark of Miko s.r.l. PANDORA, the PANDORA logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. Used with permission. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Sony is a registered trademark of the Sony Corporation. Spotify is a registered trademark of Spotify AB, Sweden. The Bluetooth word mark is a trademark of the Bluetooth SIG. Inc.

Comparisons based on competitive models (class is Full-Size Pickups over 8,500 lbs. GVWR based on Ford segmentation), publicly available information and Ford certification data at time of printing. Vehicles may be shown with optional and aftermarket upfit equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/ limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Dealer is the best source of the most up-to-date information on Ford vehicles. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.